

**Stacking chair / stool**

**Frame:** tapered steel tube Ø 20 mm  
in powder coated finish

**Seat /back:** recyclable polypropylene  
reinforced with fiberglass


**Spacers and glides:** recyclable  
thermoplastic material




	Article	Finish	pcs / dimensions volume / gross weight product net weight
<b>Chair</b>	S0015	Polypropylene	4 pcs / 49x64,5x101 cm 0,31 m <sup>3</sup> / 24,9 Kg 5,35 Kg
<b>Stool</b> H. 75 cm	G0015	Polypropylene	1 pc / 51x53x105 cm 0,29 m <sup>3</sup> / 9,5 Kg 7,6 Kg

**Finishes**

## Polypropylene



## Metal frame



Colors may change or not be available at all times

**Dimensions****Fire-retardant version**

*Fire retardant version black colour 7F*

*NOTE: fire retardant compounds may cause slightly  
difference of colours*

**Fire retardant certifications**

The product meets Class 2 by the Italian Minister of Interior.

**Resistance tests**

EN 1022:2005 – stability  
EN 1728:2012+AC:2013 – seat impact test  
EN 1728:2012+AC:2013 – back impact test - 2 extreme  
EN 1728:2012+AC:2013 – side legs static load test  
EN 1728:2012+AC:2013 – seat front edge fatigue test  
EN 1728:2012+AC:2013 – front leg static load test  
EN 1728:2012+AC:2013 – seat –back fatigue test  
EN 1728:2012+AC:2013 – back vertical static load test  
EN 1728:2012+AC:2013 – seat and back static load test  
EN 16139:2013+ac:2013 – general requirements of resistance  
ANSI-BIFMA 5.1 -2011/11 – seating durability test  
ANSI-BIFMA 5.1 -2011/18 – front legs static load test  
ANSI-BIFMA 5.1 -2011/18 – side legs static load test