

Morse

Table System

Work Tables

800mm / 31.5in Deep Preconfigured Tables	3
800mm / 31.5in Deep Build Your Own Table	6
1400mm / 55in Deep Preconfigured Tables	12
1400mm / 55in Deep Build Your Own Table	15

Meeting Tables

1000mm / 39.5in Deep Preconfigured Tables	22
1200mm / 47in Deep Preconfigured Tables	23

Circular Tables

Preconfigured Tables	27
----------------------	----

Accessories	30
-------------	----

Power & Cable Options	33
-----------------------	----

Standard Finishes	35
-------------------	----


Morse

Table System

Work Tables

800mm / 31.5in Deep

Step 1	Preconfigured Tables	3
Step 2	Preconfigured Tables – Power & Cable Management Options	5
Step 1	Build Your Own Table	6
	Build Your Own Configuration – Examples 1 & 2	7
Step 2	Build Your Own Table – Power & Cable Management Options	9
Step 3	Finish / Colour Configuration	10
Step 4	Accessories	30
	Power & Cable Options	33
	Standard Finishes	35



Morse Work Table 800mm / 31.5in Deep

Step 1:
Select your Size

Preconfigured tables / 800mm 31.5in Deep / (depth code A).
Also available in bar height.

CAD	Dimensions*	Work Table Layout	Meeting Table Layout	Cable**
	Morse Work Table – 1600w x 800d – 4 leg w1600 d800 h730/1050 (mm) w63 d31.5 h29/41.5 (in) MSAC316 / MSAC516	 1 Person	 4–6 Person	1 Leg
	Morse Work Table – 2400w x 800d – 4 leg w2400 d800 h730/1050 (mm) w94.5 d31.5 h29/41.5 (in) MSAC324 / MSAC524	 2 Person	 6–8 Person	1 Leg
	Morse Work Table – 2800w x 800d – 6 leg w2800 d800 h730/1050 (mm) w110 d31.5 h29/41.5 (in) MSAG328 / MSAG528	 2 Person	 8–10 Person	1 Leg
	Morse Work Table – 3600w x 800d – 6 leg w3600 d800 h730/1050 (mm) w141 d31.5 h29/41.5 (in) MSAG336 / MSAG536	 3 Person	 10–12 Person	1 Leg
	Morse Work Table – 4000w x 800d – 8 leg w4000 d800 h730/1050 (mm) w158 d31.5 h29/41.5 (in) MSAG340 / MSAG540	 3 Person	 12–14 Person	2 Legs
	Morse Work Table – 4400w x 800d – 6 leg w4400 d800 h730/1050 (mm) w173 d31.5 h29/41.5 (in) MSAG344 / MSAG544	 4 Person	 12–14 Person	1 Leg
	Morse Work Table – 4800w x 800d – 8 leg w4800 d800 h730 (mm) w188 d31.5 h29 (in) MSAG348	 4 Person	 14–16 Person	2 Legs

Continued Overleaf →



* All dimensions quoted are rounded to the nearest 1/2 inch ** Number of available cable management legs when specified

Morse Work Table 800mm / 31.5in Deep

Step 1:
Select your Size

Preconfigured tables / 800mm 31.5in Deep / (depth code A).
Also available in bar height.


CAD

Dimensions*

Work Table Layout

Meeting Table Layout

Cable**




Morse Work Table –
5600w x 800d – 8 leg

w5600 d800 h730/1050 (mm)
w219.5 d31.5 h29/41.5 (in)

MSAC356 / MSAC556




5 Person



16–18 Person

2 Legs




Morse Work Table –
6400w x 800d – 8 leg

w6400 d800 h730/1050 (mm)
w252 d31.5 h29/41.5 (in)

MSAC364 / MSAC564



6 Person



18–20 Person

2 Legs

Morse Power & Cable Management 800mm / 31.5in Deep



Step 2:
Cable Management

Preconfigured tables / 800mm 31.5in Deep / (depth code A).
Also available in bar height.


- 01 Cable Managed Leg can be placed in any location.
- 02 Alternative cable management route into perimeter mounted power source.

CAD Example

NOMSAG344
Example shown: 2 x 3m/120" cables



Byrne Dean
(US Power)



OE Panda
(UK/EU Power)

Morse Build Your Own Table 800mm / 31.5in Deep

Step 1:
Select your Size

Build Your Own / 800mm 31.5in Deep / (depth code A).
Also available in bar height.

The Build Your Own option allows you to design an alternative arrangement or specify additional cable managed legs.

You must order at least 2 x Starter + Leg set. The amount of Middles is up to you.

CAD	Dimensions*	Work Table Layout	Meeting Table Layout	Cable**
	Morse Table Section Starter A – 1400w x 800d w1400 d800 h730/1050 (mm) w55 d31.5 h29/41.5 (in) MSAS314 / MSAS514	 1 Person	 4–5 Person	1 Leg
	Morse Table Section Starter A – 2200w x 800d w2200 d800 h730/1050 (mm) w86.5 d31.5 h29/41.5 (in) MSAS322 / MSAS522	 2 Person	 6–7 Person	1 Leg
	Morse Table Section Middle A – 1200w x 800d w1200 d800 h730/1050 (mm) w47 d31.5 h29/41.5 (in) MSAM312 / MSAM512	 1 Person	 4 Person	1 Leg
	Morse Table Section Middle A – 2000w x 800d w2000 d800 h730/1050 (mm) w79 d31.5 h29/41.5 (in) MSAM320 / MSAM520	 2 Person	 6 Person	1 Leg
	Morse Table Section 90 Degree Curve Square – 800d w1000 d1000 h730/1050 (mm) w39.5 d39.5 h29/41.5 (in) MSAU903SQ / MSAU905SQ	 1 Person	1 Leg	
	Morse Table Section 90 Degree Curve Round – 800d w1000 d1000 h730/1050 (mm) w39.5 d39.5 h29/41.5 (in) MSAU903RD / MSAU905RD	 1 Person	1 Leg	
	Morse Table Section Leg Set A – 800d d650 h730/1050 (mm) d25.5 h29/41.5 (in) MSLGA3 / MSLGA5	1 Leg		

Morse Build Your Own Configuration 1 800mm / 31.5in Deep

Build Your Own
Example

Build Your Own / 800mm 31.5in Deep / (depth code A).
Also available in bar height.

↓
The Build Your Own option allows you to design an alternative arrangement or specify additional cable managed legs.

↓
You must order at least 2 x Starter + Leg set. The amount of Middles is up to you.


↓
2 x Starters + Middle + Leg Set

NOMSAS322
Starter A

NOMSAM320
Middle A

NOMSLGA3
Leg Set A

NOMSAS322
Starter A



Morse Build Your Own Configuration 2 800mm / 31.5in Deep

Build Your Own Example

Build Your Own / 800mm 31.5in Deep / (depth code A).
Also available in bar height.

The Build Your Own option allows you to design an alternative arrangement or specify additional cable managed legs.

You must order at least 2 x Starter + Leg set. The amount of Middles is up to you.

2 x Starters + Middle + 2 x Curve Sections + Leg Set

NOMSAS314
Starter A


NOMSAU903SQ
90 Degree Curve
Square

NOMSAM320
Middle A

NOMSAU903SQ
90 Degree Curve
Square

NOMSLGA3
Leg Set A

NOMSAS314
Starter A



Curve sections must be connected by **A** two straight sections of the same width / height.

Curve sections cannot be used alongside a Leaf End.

Curve sections cannot be used next to another Curve / Corner section.

Morse Power & Cable Management 800mm / 31.5in Deep

Step 2:
Cable Management

Build Your Own / 800mm 31.5in Deep / (depth code A).
Also available in bar height.

The Build Your Own option allows you to design an alternative arrangement or specify additional cable managed legs.

01 Cable Managed Leg can be placed in any location.



02 Alternative cable management route into perimeter mounted power source.

CAD Example


Example shown:

2 x 3m/120" cable

1 x 5m/200" cable



Byrne Dean
(US Power)



OE Panda
(UK/EU Power)

Morse Work Table Finish Configuration 800mm / 31.5in Deep

Step 3:
Select Finishes

CAD Example

- 01 Legs — Available in 16 standard RALs (Pale Green shown below) or Solid Oak
- 02 Under-Frame — Available in 16 standard RALs (Oyster shown below)
- 03 Top Surface — White or Black MFMDf with edge band or Forbo with matching edge or Oak Veneer with matching edge (shown below)

See finishes page for full range




Morse

Table System

Work Table

1400mm / 55in Deep

Step 1	Preconfigured Tables	12
Step 2	Preconfigured Tables – Power & Cable Management Options	14
Step 1	Build Your Own Table	15
	Build Your Own Configuration – Examples 1 & 2	17
Step 2	Build Your Own Table – Power & Cable Management Options	19
Step 3	Finish / Colour Configuration	20
Step 4	Accessories	30
	Power & Cable Options	33
	Standard Finishes	35



Morse Work Table 1400mm / 55in Deep

Step 1:
Select your Size

Preconfigured tables / 1400mm 55in Deep / (depth code D).
Also available in bar height.

CAD	Dimensions*	Work Table Layout	Dot Power Ports	Cable**
	Morse Work Table – 1600w x 1400d – 4 leg w1600 d1400 h730/1050 (mm) w63 d55 h29/41.5 (in) MSDC316 / MSDC516		0 or 1	1 Leg
	Morse Work Table – 2400w x 1400d – 4 leg w2400 d1400 h730/1050 (mm) w94.5 d55 h29/41.5 (in) MSDC324 / MSDC524		0 or 1	1 Leg
	Morse Work Table – 2800w x 1400d – 6 leg w2800 d1400 h730/1050 (mm) w110 d55 h29/41.5 (in) MSDG328 / MSDG528		0 or 2	1 Leg
	Morse Work Table – 3600w x 1400d – 6 leg w3600 d1400 h730/1050 (mm) w141 d55 h29/41.5 (in) MSDG336 / MSDG536		0 or 2	1 Leg
	Morse Work Table – 4000w x 1400d – 6 leg w4000 d1400 h730/1050 (mm) w158 d55 h29/41.5 (in) MSDG340 / MSDG540		0 or 3	2 Legs
	Morse Work Table – 4400w x 1400d – 6 leg w4400 d1400 h730/1050 (mm) w173 d55 h29/41.5 (in) MSDG344 / MSDG544		0 or 2	1 Leg
	Morse Work Table – 4800w x 1400d – 6 leg w4800 d1400 h730/1050 (mm) w188 d55 h29 (in) MSDG348 / MSDG548		0 or 3	2 Legs

Continued Overleaf →




* All dimensions quoted are rounded to the nearest 1/2 inch ** Number of available cable management legs when specified

Morse Work Table 1400mm / 55in Deep

Step 1:
Select your Size


Preconfigured tables / 1400mm 55in Deep / (depth code D).
Also available in bar height.




Morse Work Table –
5600w x 1400d – 8 leg

w5600 d1400 h730/1050 (mm)
w219.5 d55 h29/41.5 (in)

MSDG356 / MSDG556




Dot Power Ports 0 or 3
Cable** 2 Legs



Morse Work Table –
6400w x 1400d – 8 leg

w6400 d1400 h730/1050 (mm)
w252 d55 h29/41.5 (in)

MSDG364 / MSDG564



Dot Power Ports 0 or 3
Cable** 2 Legs

Morse Power & Cable Management 1400mm / 55in Deep

Step 2:
Cable Management

Preconfigured tables / 1400mm 55in Deep / (depth code D).
Also available in bar height.

- 01 Cable Managed Leg can be placed in any location.
- 02 Alternative cable management route into perimeter mounted power source.


CAD Example

NOMSDG336

Example shown:

1 x 3m / 120" cable

1 x 5m / 200" cable



Additional 'hidden' power can be specified to service monitors, lamps etc.

Dot Power
(UK/EU/US Power)

Morse Build Your Own Work Table 1400mm / 55in Deep

Step 1:
Select your Size

Build Your Own / 1400mm 55in Deep / (depth code D).
Also available in bar height.

The Build Your Own option allows you to design an alternative arrangement or specify additional cable managed legs.

You must order at least 2 x Starter or Leaf End + Leg set. The Amount of Middles is up to you.

CAD	Dimensions*	Work Table Layout	Dot Power Ports	Cable**
	Morse Table Section Starter D – 1400w x 1400d w1400 d1400 h730/1050 (mm) w55 d55 h29/41.5 (in) MSDS314 / MSDS514		0 or 1	1 Leg
	Morse Table Section Starter D – 2200w x 1400d w2200 d1400 h730/1050 (mm) w86.5 d55 h29/41.5 (in) MSDS322 / MSDS522		0 or 1	1 Leg
	Morse Table Section Middle D – 1200w x 1400d w1200 d1400 h730/1050 (mm) w47 d55 h29/41.5 MSDM312 / MSDM512		0 or 1	1 Leg
	Morse Table Section Middle D – 2000w x 1400d w2000 d1400 h730/1050 (mm) w79 d55 h29/41.5 (in) MSDM320 / MSDM520		0 or 1	1 Leg
	Morse Table Section 30 Degree Curve – 1400d w1000 d1480 h730/1050 (mm) w39.5 d58.5 h29/41.5 (in) MSDU303 / MSDU305		0 or 1	1 Leg
	Morse Table Section 60 Degree Curve – 1400d w1700 d1730 h730/1050 (mm) w67 d68 h29/41.5 (in) MSDU603 / MSDU605		0 or 1	1 Leg






Morse Build Your Own Work Table 1400mm / 55in Deep

Step 1:
Select your Size

Build Your Own / 1400mm 55in Deep / (depth code D).
Also available in bar height.

The Build Your Own option allows you to design an alternative arrangement or specify additional cable managed legs.

You must order at least 2 x Starter or Leaf End + Leg set. The Amount of Middles is up to you.

CAD	Dimensions*	Work Table Layout	Dot Power Ports	Cable**
	Morse Rectangular Leaf-end Table Section D w600 d1400 h730 (mm) w23.5 d55 h29 (in) MSLFDD		0 or 1	1 Leg
	Morse Radius Corner Leaf-end Table Section D w600 d1400 h730 (mm) w23.5 d55 h29 (in) NOMSLFDR		0 or 1	1 Leg
	Morse Table Section Leg Set D - 1400d d1100 h730/1050 (mm) d43.5 h29/41.5 (in) MSLGD3 / MSLGD3			1 Leg

Morse Build Your Own Configuration 1 1400mm / 55in Deep


Build Your Own Example

Build Your Own / 1400mm 55in Deep / (depth code D).
Also available in bar height.

↓
The Build Your Own option allows you to design an alternative arrangement or specify additional cable managed legs.

↓
You must order at least 2 x Starter or Leaf End + Leg set. The amount of Middles is up to you.

↓
2 x Leaf Ends + 3 x Middles + Leg Set



Morse Build Your Own Configuration 2

1400mm / 55in Deep


Build Your Own
Example

Build Your Own / 1400mm 55in Deep / (depth code D).
Also available in bar height.

↓
The Build Your Own option allows you to design an alternative arrangement or specify additional cable managed legs.

↓
You must order at least 2 x Starter or Leaf End + Leg set. The amount of Middles is up to you.

↓
2 x Leaf Ends + Starter + 30° Curve + 3 x Middles + 60° Curve + Leg Set



If two Leaf Ends are specified, **A** at least one Middle and Leg Set is required.

Curve sections must be connected by **B** two straight sections of the same width / height.

Curve sections cannot be used alongside a Leaf End.

Curve sections cannot be used next to another Curve / Corner section.

Morse Power & Cable Management 1400mm / 55in Deep

Step 2:
Cable Management

Build Your Own / 1400mm 55in Deep / (depth code D).
Also available in bar height.

The Build Your Own option allows you to design an alternative arrangement or specify additional cable managed legs.

01 Cable Managed Leg can be placed in any location.

02 Alternative cable management route into perimeter mounted power source.


CAD Example

Example shown:

1x 3m / 120" cable

1x 5m / 200" cable

1x 7m / 275" cable



Additional 'hidden' power can be specified to service monitors, lamps etc.

Dot Power
(UK/EU/US Power)


Morse Work Table Finish Configuration

1400mm / 55in Deep

Step 3:
Select Finishes

CAD Example

- 01 Legs – Available in 16 standard RALs (Pastel Blue shown below) or Solid Oak
 - 02 Under-Frame – 16 standard RALs (Steel Blue shown below)
 - 03 Top Surface – White or Black MFMDf with edge band or Forbo with matching edge (Smoky Blue shown below) or Oak Veneer with matching edge
- See finishes page for full range




- 04 Dot Power Port – Available in 16 standard RALs (Pastel Blue shown above)
- 05 Cable Basket – Always Black

Morse

Table System

Meeting Tables

Step 1	1000mm / 39.5in Deep Preconfigured Tables	22
Step 1	1200mm / 47in Deep Preconfigured Tables	23
Step 2	Preconfigured – Power & Cable Management Options	24
Step 3	Finish / Colour Configuration	25
Step 4	Accessories	30
	Power & Cable Options	33
	Standard Finishes	35



Morse 1000mm / 39.5in Deep Meeting Table

Step 1:
Select your Size









Preconfigured tables / 1000mm 39.5in Deep / (depth code B).
Also available in bar height.

CAD	Dimensions*	Meeting Table Layout	Dot Power Ports	Cable**
	<p>Morse Rectangular Meeting Table - 2000w x 1000d</p> <p>w2000 d1000 h730/1050 (mm) w79 d39.5 h29/41.5 (in)</p> <p>MSB320R / MSB520R</p>		0	1 Leg
	<p>Morse Rectangular Meeting Table - 2400w x 1000d</p> <p>w2400 d1000 h730/1050 (mm) w94.5 d39.5 h29/41.5 (in)</p> <p>MSB324R / MSB524R</p>		0	1 Leg
	<p>Morse Rectangular Meeting Table - 3000w x 1000d</p> <p>w3000 d1000 h730/1050 (mm) w118 d39.5 h29/41.5 (in)</p> <p>MSB330R / MSB530R</p>		0	1 Leg
	<p>Morse Radius Corner Meeting Table - 3000w x 1000d</p> <p>w3000 d1000 h730/1050 (mm) w118 d39.5 h29/41.5 (in)</p> <p>MSB330D / MSB530D</p>		0	1 Leg

Morse 1200mm / 47in Deep Meeting Table

Step 1:
Select your Size

Preconfigured tables / 1200mm 47in Deep / (depth code C).
Also available in bar height.

CAD	Dimensions*	Meeting Table Layout	Dot Power Ports	Cable**
	<p>Morse Rectangular Meeting Table - 2000w x 1200d</p> <p>w2000 d1200 h730/1050 (mm) w79 d47 h29/41.5 (in)</p> <p>MSC320R / MSC520R</p>		0	1 Leg
	<p>Morse Rectangular Meeting Table - 2400w x 1200d</p> <p>w2400 d1200 h730/1050 (mm) w94.5 d47 h29/41.5 (in)</p> <p>MSC324R / MSC524R</p>		0	1 Leg
	<p>Morse Rectangular Meeting Table - 3000w x 1200d</p> <p>w3000 d1200 h730/1050 (mm) w118 d47 h29/41.5 (in)</p> <p>MSC330R / MSC530R</p>		0	1 Leg
	<p>Morse Radius Corner Meeting Table - 3000w x 1200d</p> <p>w3000 d1200 h730/1050 (mm) w118 d47 h29/41.5 (in)</p> <p>MSC330D / MSC530D</p>		0	1 Leg

Meeting Table Cable Managed Leg

Step 2:
Cable Management

Preconfigured tables / 1000mm 39.5in Deep / (depth code B) and
Preconfigured tables / 1200mm 47in Deep / (depth code C).
Also available in bar height.

- 01 Cable Managed Leg can be placed in any location.
- 02 Alternative cable management route into perimeter mounted power source.


CAD Example

NOMSB330R

Example shown:

1 x 3m / 120" cable

1 x 5m / 200" cable



Meeting Table


Colour/Finish Configuration

Step 3:
Select Finishes

CAD Example

NOMSC320R

- 01 Legs – Available in 16 standard RALs (Pale Green shown below) or Solid Oak
 - 02 Under-Frame – 16 standard RALs (Oyster shown below)
 - 03 Top Surface – White or Black MFMDf with edge band or Forbo with matching edge (Pistachio shown below) or Oak Veneer with matching edge
- See finishes page for full range




- 04 Dot Power Port – Available in 16 standard RALs (Leaf Green shown above)
- 05 Cable Basket – Always Black

Morse

Table System

Circular Tables

Step 1	Preconfigured Specifications	27
Step 2	Power & Cable Management Configuration	28
Step 3	Finish / Colour Configuration	29
Step 4	Accessories	30
	Power & Cable Options	33
	Standard Finishes	35



Morse Circular Table

Step 1:
Select your Size

Preconfigured tables / Diameter tables.
Also available in bar height.

CAD	Dimensions*	Meeting Table Layout	Dot Power Ports	Cable**
	Morse Circular Table - 1200 dia1200 h730/1050 (mm) dia47 h29/41.5 (in) MSO312 / MSO512		0	0
			1	1 Leg
	Morse Circular Table - 1400 dia1400 h730/1050 (mm) dia55 h29/41.5 (in) MSO314 / MSO514		0	0
			1	1 Leg

Circular Table Cable Managed Leg



Step 2:
Cable Management

Preconfigured tables / Diameter tables.
Also available in bar height.

01 Cable Managed Leg can be placed in any location.

CAD Example

NOMS03 14



Dot Power
(UK/EU/US Power)

Circular Table


Colour/Finish Configuration

Step 3:
Select Finishes

CAD Example

NOMS03 14

- 01 Legs – Available in 16 standard RALs or Solid Oak (shown below)
 - 02 Under-Frame – 16 standard RALs (Traffic Orange shown below)
 - 03 Top Surface – White or Black MFMDf with edge band or Forbo with matching edge (Smoky Blue shown below) or Oak Veneer with matching edge
- See finishes page for full range





- 04 Dot Power Port – Available in 16 standard RALs (Traffic Orange shown above)
- 05 Cable Basket – Always Black


Morse Accessories

Step 4:
Select Accessory


A family of accessories which help
define function and workspace.





Morse Book End*
w80 d150 h150 (mm)
w3.5 d6 h6 (in)
MABKE





Morse Dot Tray
dia140 h60 (mm)
dia5.5 h2.5 (in)
MADOTT




Morse Dot Shelf
dia250 h100 (mm)
dia10 h4 (in)
MADOTS



Morse Dash Shelf
w550 d200 h75 (mm)
w21.5 d8 h3 (in)
MADSHS



Morse Divider*
w600 d160 h360 (mm)
w23.5 d6.5 h14 (in)
MADV D



Morse

Accessory Gallery



MADOTT
Morse Dot Tray

The Dot Tray is ideal for storing those small, miscellaneous items usually found hanging around a work table. It can be powder-coated in 16 standard RAL colours.



MADOTS
Morse Dot Shelf

The Dot Shelf is designed to elevate flowers, books, decor. It can be powder-coated in 16 standard RAL colours.



MADSHS
Morse Dash Shelf

The Dash Shelf is perfect for placing vases, books, notepads and pots of pens upon. It can be powder-coated in 16 standard RAL colours.

Morse

Accessory Gallery



MABKE
Morse Book End*

Treat books with respect by slotting them in between the Morse book ends. Available as a single item or in as many multiples as you require. They can be powder-coated in 16 standard RAL colours.



MADVD
Morse Divider*

Create a soft demarcation of space by slotting a divider into the channel. The metal base can be powder-coated in 16 standard RAL colours. The Divider is cork.

Morse

Power Options



UK
Power Option

Configured within the Morse basket shown with a powder coated Dot Power Port to conceal wires.



Euro
Power Option

Configured within the Morse basket shown with a powder coated Dot Power Port to conceal wires.



US
Power Option


Configured within the Morse basket shown with a powder coated Dot Power Port to conceal wires.

Morse

Cable Management Options



Solid Oak Option



RAL Option

Cable Managed Leg

Choose between a Steel or Solid Oak finish.
The leg can be placed in any location.



Cable Management

View of power cable feeding into the top of a cable managed leg.



Clamp on Screen Capability

Ability to add a flexible monitor arm means you can manage your monitor cabling with ease

Morse


Standard Finishes 2023

RAL Colours




Forbo Desktop Lino

The desktop furniture linoleum collection consists of 19 elegant colours that add a distinctive touch to our table tops. Forbo desktop lino has a water-based finish that prevents scratching and staining, while at the same time ensuring that the surface is warm to the touch with a matt finish. The desktop linoleum is adhered to MDF sheets before being cut to size and finished with a matching edge band.




MF MDF

Melamine Faced Medium-Density Fibreboard (MF MDF) provides many of the advantages of MDF with a decorative and hard wearing surface layer. The melamine has a subtle burnished surface detail which is slightly textured. The table top edge can be finished with a reverse chamfer polished, clear lacquered edge or a matching white/black edge band.



Oak Veneer

Veneered Medium-Density Fibreboard (MDF). At NaughtOne we use an Oak decorative veneer to give your table top that natural finish. The table top edge is finished with a matching veneered edge band.



Office

Knarborough Tech Park
Manse Lane
Knarborough HG5 8LF
sales@naughtone.com
+44 (0) 1423 816 500

Showroom

6 Bakers Yard
Clerkenwell
London EC1R 3DD
sales@naughtone.com
+44 (0)20 389 227 88