

Unfold Pendant Lamp

“We wanted to bring a new perspective to the classic industrial light with the Unfold Pendant Lamp, creating an expression that is at once timeless and modern. To achieve this, the design comes in a rubber silicone material for a playful and tactile character along with a matte touch. With its modern and flexible material, the Unfold Pendant Lamp can be folded into a flat box for eco-friendly shipping and a contemporary look.”

— Form Us With Love




| | |
|------------------------------|--|
| Designed by | Form Us With Love |
| About the Designer | Form Us With Love is a Stockholm-based multidisciplinary design and interior architecture studio. Their work has won several prestigious awards such as the Red Dot and Young Swedish Design Awards. Further accrediting the trio are successful exhibitions at venues like MoMA and the Swedish National Gallery. |
| Environment | Indoor |
| Country of Production | China |
| Preassembled | Yes. |
| Description | A quirky take on the industrial pendant lampshade, the Unfold Pendant Lamp is useful in any home or professional space. Made of soft silicone rubber, the pendant is available in a wide range of colors to brighten up any room. |
| Material | Shade is made in silicone rubber and cord is made in PVC. The diffuser is made in a clear frosted opal acrylic material. The shade is pressed in vulcanised rubber under high temperature. Diffuser and socket holder cut by laser. |
| Cleaning & Care | Clean with soft, dry or moist cloth. Always switch off the electricity supply before cleaning |
| Cord Length | 350 cm / 137.8" |
| Light Source Included | No. |
| Ceiling Cap Included | Yes. |
| Dimmable Function | Yes. |

Unfold Pendant Lamp

Dimensions

Height: 29,5 cm / 11.5"
Diameter: 32,5 cm / 12.8"
Cord Length: 350 cm / 137.8"



Ready-to-Ship

| | |
|-------------|--|
| Dark Grey | |
| Black | |
| Green | |
| Mustard | |
| Terracotta | |
| Yellow | |
| Light Grey | |
| Beige-Rose | |
| Olive | |
| Beige-Green | |
| Burgundy | |

Lamp Rating

| | |
|-----------|--|
| Voltage | 120V |
| Frequency | 60Hz |
| IP Rating | IP20 |
| Socket | 1 x E26 Max. 100W Incandescent; Type A Max. 20W Self-ballasted CFL |

Light Source Recommendation

| | |
|--------------------|---|
| Lamp Base | E26 |
| Dimensions | Ø60 x 110 mm |
| Light Source Shape | A60 |
| Light Source Type | LED |
| Max Voltage | Max. 100W Incandescent; Type A Max. 20W Self-ballasted CFL |

Tests, Labels & Certifications

Safety & Regulations cETLus or cULus



Unfold Pendant Lamp

[Explore Assets](#)

[DOWNLOAD SITE](#)